# Plaster Substrate Panels

Masons has three substrates in their range; Enviro AAC Panel, ThermalCrete lightweight panel system and XRV the insulated panel system. You can find more information on these products with their benefits on our website or product catalogue

Enviro™
AAC Panel

ThermalCrete™
Lightweight Panel System

XRV ™
Insulated Panel System

ThermalCrete	Qty	Masons Code
ThermalCrete Panel - 2270x600x50mm	single	ENTHERMPAN

Enviro Panel Wall	Qty	Masons Code
Enviro Panel Wall - 2200x600x50mm	single	ENVPAN

Enviro Panel Floor/Fencing	Qty	Masons Code
Enviro Panel Floor - 2200x600x75mm	single	ENVPANFLOOR

Enviro Glue & Screws	Qty	Masons Code
Enviro Jointing Glue	single	PBEJG
Enviro Screw 75mm - Stainless Steel	single	ENV75SS PANEL SC
Enviro Screw 75mm - Galvanised	single	ENV14X75PS
Enviro Screw 100mm - Stainless Steel	single	ENV100 SS
Enviro Screw 100mm - Galvanised	single	ENV14X100PS

Plaster & Accesories

Flexible, Strong, Tough & Waterproof

Acrylic Plaster	Size	Masons Code
FLX Acrylic Bedding Plaster	15 Litre	FLEXIBEDDING
FLX Acrylic Texture 1mm*	15 Litre	FLEXITEXTURE1MM
FLX Acrylic Texture 2mm*	15 Litre	FLEXITEXTURE2MM
FLX Acrylic Texture 3mm*	15 Litre	FLEXITEXTURE3MM

*Texture includes tinting pots or pre-tinting

Adobe Render

Spanish style stucco
Finish varies per plasterer

Plaster Renders	Qty	Masons Code
Adobe Render - 20kg	single bag	PBAD
Basecoat Render - 20kg	single bag	PLBC20
Meshing Render - 20kg	single bag	PLMR20
Meshing Render FIne - 20kg	single bag	PLMRF20
Skim Coat Render - 20kg	single bag	PLSK20
Sponge Finish 1mm - 20kg	single bag	PL1M20

Masons have specific plaster specifications for 8 substrates (including their own substrates from the previous page)

Please visit our website for more details on each recommended plaster system:

mpb.co.nz > **Exterior Plaster Systems** > **Plaster Systems**

Plaster Series

PlastaBrick™ - Masonry Brick & Block - Plaster System

PlastaTek™ - Monotek Sheet - Plaster System

PlastaBacka™ - Hardibacker Sheet - Plaster System

PlastaBlock™ - XRV™ & Block - Plaster System

PlastaSlab™ - Tilt Slab - Plaster System

Flashings & Beads

Full Flashing System compliant to
E2/VM1 Weathertight Testing

Plaster Jamb 50mm

PJAM50MM
Length: 2.7 mtr

## Enviro Reveal Bead

ENVRB
Length: 2.5 mtr

Corner Bead PVC 20x20mm

CB
Length: 3 mtr

Enviro Sill Flashing 50mm

MPSF50
Length: 2.7 mtr

Meshed Corner Beads

PREMESH CNR
Length: 2.5 mtr

Enviro Base Shoe/Head Flashing 50mm

MPBSC50

Edge Finishing Bead

EDFINBEADSGLE
Length: 2.5 mtr

thermalCRETE
Interlocking panel

BY MASONS

Phone Support

Call 0800 522 533 - Weekdays from 8.00am - 4.30pm

Flashings & Beads

Description	Qty	Masons Code
Enviro Reveal Bead	single	ENVRB
Enviro Sill Flashing, 50mm	single	MPSF50
Enviro Base Shoe/Head Flashing 50mm	single	MPBSC50

Control Joint PVC, 8mm 3mtr	single	CJ

Plaster Jamb Perforated 50mm	single	PJAM50MM

Edge Finishing Bead	single	EDFINBEADSGLE

Meshed Corner Beads	single	PREMESH CNR

Corner Bead PVC, 20x20mm 2.7mtr	single	CB

Corner Soaker PVC	single	PVCCS

Mesh	Qty	Masons Code
Masons Semi Soft Mesh 1.2m x 50mtr	single	MPMSS1.2